



Fig. 1



007EEN " 99404569

Fig. 2



09540466 . 033100

00TEEO" 99404560




Fig. 3

00TEEO" 99404560




Fig. 4

NOTED "99404560




Fig. 5

09540466-033100




Fig. 6A




Fig. 6B

007E0" 99404560




Fig. 7

11




Fig. 8A




Fig. 8B

Fig. 9

	Percentage of CAMs							
	BSA (500 ng)	TGF- β 1 (20 ng)	bFGF (500 ng)	OP-1 (100 ng)	OP-1 (1000 ng)	OP-1 (100 ng) + bFGF (100 ng)	OP-1 (100 ng) + TGF- β 1 (5 ng)	OP-1 (100 ng) + TGF- β 1 (20 ng)
Response Type								
Positive	12.5	50.0	62.5	50.0	62.5	75.0	75.0	87.5
Questionable	25.0	25.0	12.5	37.5	25.0	12.5	25.0	12.5
No	62.5	25.0	25.0	12.5	12.5	12.5	0	0

00750" 99404550

Fig. 10

	CAM Angiogenic Response							
	BSA (500 ng)	TGF- β 1 (20 ng)	bFGF (500 ng)	OP-1 (100 ng)	OP-1 (1000 ng)	OP-1 (100 ng) + bFGF (100 ng)	OP-1 (100 ng) + TGF- β 1 (5 ng)	OP-1 (100 ng) + TGF- β 1 (20 ng)
Grade								
Very Intense						X	X	X
Intense			X		X			
Moderate		X		X				
Weak	X							

0040456-033100